



## EB44 SALES KIT

GRAND BANKS YACHTS USA [ 95 ROWAYTON AVENUE ROWAYTON, CT 06853 ] 203-866-0882

GRAND BANKS YACHTS USA [ 1866 OTTAWA BEACH ROAD SUITE M HOLLAND, MI 49424 ] 206-352-0116

GRAND BANKS YACHTS USA [ 2515 MARINA BAY DRIVE WEST #101 FORT LAUDERDALE, FL 33312 ] 954-530-4379

GRAND BANKS YACHTS [ GRAND BANKS YACHTS SDN BHD PLO 488, JALAN SUASA 81707 PASIR GUDANG JOHOR, MALAYSIA ] [grandbanks.com](http://grandbanks.com)




**EB44 MAIN DECK LAYOUT**



**EB44 LOWER DECK STANDARD**



**EB44 LOWER DECK OPTIONAL**



**EB44 SPECIFICATIONS & VOLUMES**



## **EB44** STANDARD EQUIPMENT

Grand Banks believes that all the specifications and data set forth herein are accurate as of the data these materials were prepared. Specifications change from time to time, and actual specifications and performance may vary from those set forth herein. Performance specifications and capacities are based upon tested conditions, and actual specifications and capacities may vary from those set forth herein. Grand Banks shall not be held liable for any discrepancies between the specifications set forth herein and the actual specifications or performance of any Grand Banks vessel. The specifications set forth in the bill of sale for a particular vessel shall be controlling in case of any conflict with brochures or other marketing materials.

## CONSTRUCTION

- Fiberglass: hand laid
- Fiberglass outer skin: Gel-coated
- Hull bootstripe: painted Awlgrip
- Hull lamination: Vinyl Ester
- Hull structural grid: fiberglass and core
- Hull: fiberglass cored, with cross-linked PVC foam core
- Quarter guard: FRP, with stainless steel rubrail
- Structural bulkheads: composite, watertight below DWL and water resistance above chine line
- Antifouling: International Micron Extra
- Hull & superstructure are built using the latest technology in composite boat construction. E-Glass, Corcell® and Airex® foam, Duflex paneling, stitched multi-axial fabric, vinylester and epoxy resins are used to produce an extremely strong and lightweight hull.

## MECHANICAL

- Ball valves and thru hull fittings above waterline: composite/bronze
- Engine raw water intake strainers
- Engine room faucet: fresh water, cold only
- Engine room sole: non-skid
- Engine room sound insulation
- Exhaust system: Underwater through IPS drive
- Fire extinguisher: in engine room: Auto/Manual with override control
- Fuel filters : Volvo-supplied dual filters with water
- Fuel tanks: 2200 liters (581 US gallons), composite fire resistant
- Propellers: counter rotating, Volvo supply
- Steering: electric/hydraulic (integral with IPS)
- Water purification system: Microbiological Seagull IV x-1F purifier with faucet, in galley
- Water tank: polyethylene, food grade, 734 liters (194 US gallons) capacity
- Freshwater connection
- Chain counter

## ELECTRICAL EQUIPMENT

- Air horn: DC, dual "trumpets"
- Air Conditioning: Cruise Air (2x 18,000 BTU)
- Batteries - Engines: Two (2) 24V banks, AGM
- Batteries - Service: Two (2) 24V banks, AGM
- Battery - Generator: 1 unit AGM
- Battery charger - Engine 24V, 30Amp
- Battery charger 12V - for generator
- Inverter/Charger 2000W 50Amp
- Battery disconnect switches: BEP, remote motorized
- Bilge pumps: DC, automatic, with high water alarms at helm(s)
- Bonding system: zinc anodes, on raw water cooling systems and heat exchangers
- Circuit Breaker panels: AC/DC
- Engine gauges and instrumentation : at helm station
- Engine controls: electronic control system
- Engine room lights: DC, LED
- Engine start/stop: at helms
- Fresh water system: pressurized, DC
- Isolation Galvanic
- Generator: Fischer Panda 15,000i
- Holding tank - level indicator
- Navigation lights: DC, LED
- Outlets: AC, with GFCI or ELCB protection, Vimar
- DC outlets: 12V, one unit at helm
- Shore power inlet aft: 1 x 50A, (North America & Japan), 2 x 30A (Europe), 1 x 60A (SE Asia), 16Amp (Australia). Cablemaster. Power retractable.
- Tanks monitoring: gauges for fuel and water tanks, display at (lower) helm
- Water heater: AC, 41 Liters (11 US gallons) capacity, rapid recovery with heat exchanger
- Windshield wipers: washers, intermittent-low-medium-high speeds
- Wiring: marine-grade tin-plated copper
- Shorepower cablemaster
- Inverter/charger
- Searchlight with remote
- Volvo DPS

## EXTERIOR EQUIPMENT

- Anchor chain locker: with partition for rope and chain, self-draining
- Anchor platform: stainless steel, single stainless steel rollers, ultra stainless steel anchor 27kg / combination of 30mtr chain and 80mtr rope
- Anodes: zinc; hull, zipwake interceptor pods
- Cleats: for mooring, stainless steel, fixed
- Cleats: for fenders, stainless steel, pop-up, at cockpit coaming
- Courtesy & overhead lights: LED
- Deck fills : fuel, water and waste pumpout, at side decks
- Flag poles: varnished teak, with stainless steel holders, and stainless steel poles bow stern.
- Foredeck lockers: starboard
- Fresh water wash down: with quick disconnect outlet, at bow
- Grab rails: stainless steel
- Hardtop: painted non-skid, Awlgrip, "GB White" color
- Cabin top: painted non-skid, Awlgrip, "GB White" color
- Deck Side: side and forward decks, painted non-skid, Awlgrip, "Moon dust" color
- Mast: Fiberglass, fixed, low profile.
- Rubrail: heavy-duty vinyl, stainless steel insert profile
- Safety rails: deck, stainless steel with rail gate opening at side.
- Std Canvas: Sunbrella® Windscreen cover, side window, cockpit cover, aft seat

# EB44 EQUIPMENT LIST

#### **EXTERIOR EQUIPMENT, CONT.**

- Skylight hatches: (2) at hardtop, (3) at trunk cabin
- Swim ladder: stainless steel.
- Swim platform: fixed, molded fiberglass with unlaidd teak
- Windlass: DC, vertical gypsy and drum, chain/rode, low profile
- Windows: at hull sides, grey tempered glass, fixed, fritted, bonded in place
- Windows: power drop down, grey tempered glass at salon sides, clear tempered glass at salon front, fritted, bonded in place, power drop down at aft window

#### **COCKPIT & AFT DECK**

- Cockpit locker: port and starboard
- Decking: solid teak, epoxy bonded, TDS System
- Engine room access: power deck hatch with ladder.
- Settee: (i) forward and aft facing, molded fiberglass, underseat storage, (ii) cushions, self-piping
- Shower: hand-held, hot & cold.
- Transom door: hinged, opening inwards, solid fiberglass, with latch
- Port cockpit locker with drawer and icemaker

#### **HELM AREA**

- Compass: flush mounted on top of electronics console
- Electronics console: wrapped with UltraLeather, with teak instrument panel
- Helmseats: custom bench seat with foot rest
- Steering wheel: stainless steel, teak rimmed

#### **SALON**

- Door aft deckhouse: Teak Bi-Fold
- Aft Port Window: Up-Down electric window
- Settee to port: U-shaped.
- Table: teak, table top, flip-up leaves, free standing
- Entertainment system: (i) Bose Lifestyle (ii) Blu-Ray player
- TV cabinet : Lift-up on port chart top

#### **GALLEY**

- Cooktop: AC, 2 burner induction
- Countertop: Silestone, "Tigris Sand"
- Faucet: Single lever, pull-out head with hose
- Garbage Bin: under sink
- Lockers & Drawers: storage, below counter
- Oven: microwave convection oven, 220/240V, 50Hz (Europe, Australia & SE Asia), 110/120V, 60Hz (North America & Japan)
- Refrigerator/Freezer: one unit, 12/24 V
- Sink: single bowl, stainless steel
- Branded cutlery and flatwares

#### **UTILITY ROOM**

- Lockers and storage

#### **MASTER STATEROOM**

- Berth: island, with under berth storage Locker
- Cabinets: storage below catwalk
- Hanging locker: starboard, laminate interior finish
- Head and shower access: private en-suite

#### **MASTER STATEROOM, CONT.**

- Mattress: foam, 8" thickness, including memory foam
- Reading lights: two units, DC
- Skylight hatch: smoked, with Oceanair screen and shade
- Strip Light: LED, below berth base and below overhead locker

#### **MASTER HEAD & SHOWER**

- Cabinets: storage
- Countertop: Silestone, "Tigris Sand"
- Makeup mirror
- Shower drain: DC pump
- Shower faucet: mixer, hand-held
- Shower and Head Flooring: fiberglass stall, frameless glass door, teak
- Sink: above counter sink vessel
- Sink faucet
- Toilet: Tecma Silence Plus
- Skylight hatch: smoked, with Oceanair screen and shade
- Branded towels

#### **GUEST STATEROOM**

- Berths: twin singles
- Head access: en-suite
- Hanging locker: laminate interior finish
- Night Table
- Mattress: foam, 6" thickness, including memory foam
- Reading lights: two units, DC

#### **GUEST HEAD & SHOWER**

- Cabinets: storage
- Countertop: Silestone, "Tigris Sand"
- Shower drain: Whale Waste pump, DC
- Shower faucet: Single mixer, hand-held
- Branded towels

## **EB44 EQUIPMENT LIST**



#### **GUEST HEAD & SHOWER, CONT.**

- Shower and Head Flooring: fiberglass stall, frameless glass door, teak
- Sink: above counter sink vessel
- Sink faucet: Single mixer
- Toilet: Tecma Silence Plus
- Skylight hatch: smoked, with Oceanair screen and shade

#### **INTERIOR**

- Layout - standard: salon port U-Settee, Galley to starboard, two cabins, forward master with en-suite head and shower, guest cabin with en-suite wet head, utility room
- Bulkheads: (i) Teak veneer (ii) Foam padded fabric panel (iii) composite panel
- Cabin doors: teak, polished chrome lock sets
- Cabinet furniture: teak raised panel
- Drawers: slider, positive locks
- Grab rails: teak bars, stainless steel fittings
- Hardware: chromed, or stainless steel
- Headlining: vinyl wrap panels, removable with Fast Mount System
- Hull ceiling sides: Fabric Panel
- Indirect lighting - lower deck and salon: DC, LED
- Courtesy & overhead lights: LED
- Portlights: laminated, fixed
- Sole - lower deck: Carpet with teak edge/molding on steps
- Sole - upper deck: teak floor with teak and holly
- Sole - Galley: teak floor with teak
- Sole - Utility: Carpet with teak edge/molding on steps
- Companion Steps: Teak with groove strips
- Switches & outlets: Vimar modular system
- Varnish: satin marine finish

#### **REGIONAL SPECIFICATIONS**

- CE warranty - components : two years coverage on all components and parts, bow to stern
- USA Certification : NMMA compliance
- Australia : marine electrical compliance

#### **OTHER**

- Warranty - hull & deck : five years coverage
- Warranty - osmosis : osmotic blister protection, five years coverage
- Warranty - components : one year coverage on all components and parts, bow to stern
- Owner's Manual : hard copy

## **EB44 EQUIPMENT LIST**